

# Alcohol-induced Deaths

## Alcohol-induced Deaths

- Most recent data (2012): 9.8 deaths per 100,000, including 214 deaths.
- Trend over time: 2000-12: flat
- Description: Includes deaths from use of alcohol, as well as deaths from accidental poisoning by alcohol

## Alcohol-induced deaths, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
<b>King County (all ages)</b>	8.9	8.4	9.6	188
<b>AGE</b>				
<18	0.0	0.0	0.2	0
18-24	*	*	*	*
25-44	4.1	3.4	4.9	25
45-64	23.0	21.2	24.9	119
65+	20.5	17.9	23.4	43
<b>GENDER</b>				
Male	12.3	11.3	13.4	125
Female	5.8	5.2	6.5	63
<b>RACE/ETHNICITY</b>				
AIAN	43.6	31.2	62.8	8
Asian	1.8	1.2	2.8	5
Black	8.2	5.9	11.3	9
Hispanic	7.0	4.7	10.9	7
Multiple	5.1 §	2.4 §	11.7 §	2
NHPI	*	*	*	*
White	9.9	9.2	10.6	162
<b>NEIGHBORHOOD POVERTY</b>				
High	15.7	13.6	18.2	39
Medium	9.1	8.4	9.9	120
Low	5.1	4.2	6.1	27
<b>REGION</b>				
East	5.7	4.8	6.7	31
North	8.3	6.3	10.9	12
Seattle	10.4	9.3	11.6	67
South	10.1	9.1	11.2	76

### Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

### Notes:

Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

\*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

## Alcohol-induced deaths King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.

\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

## Alcohol-induced deaths by comparison areas

There is no Healthy People 2020 Objective for alcohol-induced deaths.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	7.6	N/A	N/A
WA State	2012	12.4	11.6	13.2
<b>King County</b>	2012	9.8	8.5	11.3

### Notes:

Source: WA State DOH, Center for Health Statistics, Death Certificates.


Prepared by Public Health - Seattle & King County, APDE, 01/2015.

\*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

## Alcohol-induced deaths by comparison areas



Source: WA State DOH, Center for Health Statistics, Death Certificates.  
Prepared by Public Health - Seattle & King County, APDE, 01/2015.  
<sup>^</sup>Rate = cases per 100,000 population, age-adjusted to the 2000 US population.  
|-----| Confidence interval shows range that includes true value 95% of the time.

## Alcohol-induced deaths by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
<b>King County (all ages)</b>	8.9	8.4	9.6	188
Auburn	13.1	9.5	17.8	9
..Auburn-North	11.6	7.3	17.7	5
..Auburn-South	15.3	9.4	24.3	4
Bear Creek/Carnation/Duvall	5.5	3.2	9.7	4
Bellevue	5.6	4.0	7.6	8
..Bellevue-Central	6.6	3.4	12.1	2
..Bellevue-NE	6.4	3.4	11.5	3
..Bellevue-South	4.7 §	2.2 §	10.1 §	2
..Bellevue-West	4.2 §	1.7 §	9.6 §	1
Black Diamond/Enumclaw/SE County	7.4	4.5	11.8	4
Bothell/Woodinville	10.4	6.1	16.9	4
Burien	15.9	11.5	21.6	9
Covington/Maple Valley	7.9	4.6	13.1	4
Des Moines/Normandy Park	14.9	10	21.6	6
East Federal Way	8.7	5.0	14.9	3
Fairwood	4.7 §	1.6 §	12.8 §	1
Federal Way	8.4	5.9	11.8	8
..Fed Way-Central/Military Rd	9.1	5.9	13.6	5
..Fed Way-Dash Point/Woodmont	7.7	4.0	14.1	3
Issaquah	5.7 §	2.6 §	11.6 §	2
Kenmore/LFP	7.4	4.1	12.8	3
Kent	7.8	5.6	10.7	9
..Kent-East	6.5	3.4	12.0	3
..Kent-SE	9.2	5.8	14.2	5
..Kent-West	6.1 §	2.8 §	13.8 §	2
Kirkland	7.6	5.2	10.9	7
..Kirkland	7.8	4.7	12.5	4
..Kirkland North	7.2	3.7	13.2	3
Mercer Isle/Pt Cities	2.4 §	0.8 §	8.2 §	1
Newcastle/Four Creeks	7.1	3.5	13.9	2
North Highline	11.0 §	5.2 §	21.8 §	2
Redmond	6.2	3.4	10.6	3
Renton	10.7	8.1	13.9	12
..Renton-East	4.6 §	1.8 §	10.8 §	1
..Renton-North	9.1	4.9	15.8	3
..Renton-South	15.5	10.9	21.4	8
Sammamish	*	*	*	*
SeaTac/Tukwila	14.7	10.2	21.0	7
Seattle	10.4	9.3	11.6	67
..Ballard	12.1	8.0	17.9	6
..Beacon/Gtown/S.Park	9.1	5.5	14.3	4
..Capitol Hill/E.lake	8.8	5.1	15.5	4
..Central Seattle	6.7	3.7	11.7	3
..Delridge	9.9	5.5	17.5	3
..Downtown	33.6	26.5	48.6	16
..Fremont/Greenlake	7.6	4.2	13.6	3
..NE Seattle	6.8	4.1	10.8	4
..North Seattle	7.5	4.4	12.5	4
..NW Seattle	10.9	7.0	16.8	5
..QA/Magnolia	7.4	4.6	12.0	4
..SE Seattle	7.2	4.0	12.2	3
..West Seattle	10.5	7.3	15.3	7
Shoreline	7.9	5.2	12.0	6
Snoqualmie/North Bend/Skykomish	8.0	4.6	14.2	4
Vashon Island	8.2 §	3.2 §	24.8 §	1

### Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

### Notes:

Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

\*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.


## Alcohol-induced deaths by health reporting areas King County, 2008-2012 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order  
Source: WA State DOH, Center for Health Statistics, Death Certificates.  
Prepared by Public Health - Seattle & King County, APDE, 01/2015.  
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

# Alcohol-induced deaths

## King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates.  
 Prepared by Public Health - Seattle & King County, APDE, 01/2015.  
 ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.